

(43) International Publication Date 14 July 2005 (14.07.2005)

PCT

(10) International Publication Number WO 2005/064268 A1

(51) International Patent Classification7: G01N 27/72, G01R 27/00

G01B 7/02,

(21) International Application Number:

PCT/SE2004/001981

(22) International Filing Date:

22 December 2004 (22.12.2004)

(25) Filing Language:

Swedish

(26) Publication Language:

English

(30) Priority Data:

0303612-6

31 December 2003 (31.12.2003)

(71) Applicant (for all designated States except US): ABB AB [SE/SE]: Kopparbergsvägen 2, S-721 83 Västerås (SE).

(72) Inventor; and

(75) Inventor/Applicant (for US only): LINDER, Sten [SE/SE]; Nybomsgatan 10, S-723 35 Västerås (SE).

(74) Agent: ABB AB; Legal & Compliance/Intellectual Property, Forskargränd 8, S-721 78 Västerås (SE).

(81) Designated States tunless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH. PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A METHOD AND DEVICE FOR MEASURING THE THICKNESS AND THE ELECTRICAL CONDUCTIVITY OF AN OBJECT OF MEASUREMENT



(57) Abstract: The present invention relates to a method for non-contact measurement of a dimension and/or an electrical property in an electrically conducting object to be measured by using electromagnetic induction, and in which method an electromagnetic field is brought to penetrate through the object to be measured. The invention is achieved by the following method steps: - placing a transmitter coil on one side of the object to be measured. - placing a receiver coil on the other side of the object to be measured. - generating a magnetic field in the transmitter coil, - generating a sudden change of the magnetic field generated in the transmitter coil from one level to another, - detecting the voltage induced in the receiver coil, - determining the period of time that elapses from the time T2 of the change of the magnetic field in the transmitter coil up to the time Ta when a voltage starts to be induced in the receiver coil. - determining the magnitude of the induced voltage, and calculating the thickness and/or electrical conductivity of the object to be measured.

Water States